


~~CONF~~

PATENT



In re Patent of:

Examiner: J.L. Dote

Group Art Unit: 1756

For: ELECTROPHOTOGRAPHIC
PHOTOSENSITIVE MEMBER,
PROCESS CARTRIDGE, AND
ELECTROPHOTOGRAPHIC
APPARATUS

U.S. Patent No.: US 6,818,368 B2

Issued: November 16, 2004

February 2, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RECEIVED
FEB 11 2005
CERTIFICATES OF CORRECTION

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor


FEB 15 2005

character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

Patentees' undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Peter Saxon", is written over a horizontal line.

Peter Saxon
Attorney for Patentees
Registration No. 24,947

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,818,368 B2

DATED : November 16, 2004

INVENTOR(S) : TAKAKAZU TANAKA ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2:

Line 2, "iodbbenzene" should read --iodobenzene--;

Line 28, "causes" should read --cause--; and

Line 31, "concentrically" should read --concentratedly--.

COLUMN 3:

Line 54, delete "in the present invention" first occurrence.

COLUMN 9:

Line 59, "(CT-6)is" should read --(CT-6) is--.

COLUMN 10:

Line 30, "case in," should read --casein,--; and

Line 47, "material," should read --materials,--.

COLUMN 12:

Line 36, "S. 67g" should read --5.67g--.

COLUMN 13:

Synthetic Example 7, "alladium (D)" should read --palladium (D)--; and

Synthetic Example 8, "alladium (D)" should read --palladium (D)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,818,368 B2

No. of add'l. copies
@ 30¢ per page

FEB 15 2005



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,818,368 B2

DATED : November 16, 2004

INVENTOR(S) : TAKAKAZU TANAKA ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 15:

Line 25, "di-tert-butylbiphenylphosphine" should read --di-tert-butylbiphenylphosphine--.

COLUMN 16:

Line 42, "15 Am." should read --15 μ m.--;

Line 44, "SnO210" should read --SnO₂ 10 pbw--;

Line 45, "pbw" should be deleted;

Line 55, "Bragg angles (2 θ \pm 0.20)" should read ---Bragg angles (2 θ \pm 0.2 $^{\circ}$)--; and

Line 56, "CuKa" should read --CuK α --.

COLUMN 17:

Line 9, "high-humid should read --high-humidity--; and

Line 14, "high-humid should read --high-humidity--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,818,368 B2

No. of add'l. copies
@ 30¢ per page

FEB 15 2005



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,818,368 B2

DATED : November 16, 2004

INVENTOR(S) : TAKAKAZU TANAKA ET AL.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 2:

Line 2, "iodbbenzene" should read --iodobenzene--;
Line 28, "causes" should read --cause--; and
Line 31, "concentrically" should read --concentratedly--.

COLUMN 3:

Line 54, delete "in the present invention" first occurrence.

COLUMN 9:

Line 59, "(CT-6)is" should read --(CT-6) is--.

COLUMN 10:

Line 30, "case in," should read --casein,--; and
Line 47, "material," should read --materials,--.

COLUMN 12:

Line 36, "S. 67g" should read --5.67g--.

COLUMN 13:

Synthetic Example 7, "alladium (D)" should read --palladium (D)--; and
Synthetic Example 8, "alladium (D)" should read --palladium (D)--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,818,368 B2

No. of add'l. copies
@ 30¢ per page

FEB 15 2005



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,818,368 B2

DATED : November 16, 2004

INVENTOR(S) : TAKAKAZU TANAKA ET AL.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 15:

Line 25, "di-tert-butylbiphenylphosphine" should read --di-tert-butylbiphenylphosphine--.

COLUMN 16:

Line 42, "15 Am." should read --15 μ m.--;

Line 44, "SnO210" should read --SnO₂ 10 pbw--;

Line 45, "pbw" should be deleted;

Line 55, "Bragg angles (2 θ \pm 0.20)" should read ---Bragg angles (2 θ \pm 0.2 $^{\circ}$)--; and

Line 56, "CuKa" should read --CuK α --.

COLUMN 17:

Line 9, "high-humid should read --high-humidity--; and

Line 14, "high-humid should read --high-humidity--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,818,368 B2

No. of add'l. copies
@ 30¢ per page

FEB 15 2005

